Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	67	(setpoint set adj point target) and (averag$4 filter$3) with time adj constant and switch$3 same time adj constant same feedback and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:13
L3	23	(setpoint set adj point target) and averag$4 with time adj constant and switch$3 same time adj constant same feedback and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:59
L4	11	(setpoint set adj point target) same (averag$4 filter$3) with time adj constant and switch$3 same time adj constant same feedback and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:21
L5	312	(averag$4 filter$3) with (first second third) adj time adj constant and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:24
L6	45	(averag$4 filter$3) with (first second third) adj time adj constant same (state condition on and off) and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:25
L7	1	(setpoint set adj point target desired) same (averag$4 filter$3) with (first second third) adj time adj constant same (state condition on and off) and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:27
L8	9	(setpoint set adj point target desired) same (averag$4 filter$3) with (first second third) adj time adj constant and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:31
L9	3	(setpoint set adj point target desired) same (averag$4 filter$3) with (first and (second third)) adj time adj constant and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:38
L10	0	(setpoint set adj point target desired) same (averag$4 filter$3) with (first and third) adj time adj constant and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:39

L11	0	(setpoint set adj point target desired) and (averag$4 filter$3) with (first and third) adj time adj constant and (@ad<"20020214" @rlad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:39
L12	1	(setpoint set adj point target desired) and (averag$4 filter$3) with (first and third) adj time adj constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:39
L13	1	(setpoint set adj point target desired) and (averag$4 filter$3) with (first and second and third) adj time adj constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:41
L14	56	(setpoint set adj point target desired) and (averag$4 filter$3) with (first second third) adj time adj constant and (puls$4 near3 output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:42
L15	118	(setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third) adj time adj constant and (puls$4 near3 output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:43
L16	13	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third) adj time adj constant and (puls$4 near3 output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:44
L17	12	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third) adj time adj constant same (puls$4 near3 output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:44
L18	2	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third) adj time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:46
L19	28	(setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third) adj time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:21
L22	2	"5706190".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:19

L23	2	"6122605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:13
L24	0	2002/0116075	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:57
L25	2	"20020116075"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:57
L26	434	(setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) adj time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:22
L27	88	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) adj time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:23
L28	88	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:23
L29	128	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:31
L30	2	"700"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:34
L31	1	"702"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:34

L32	28	"123"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:13
L33	12	"307"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:12
L34	4	"318"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:08
L35	2	"381"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:10
L36	1	"236"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:10
L37	1	"219"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:09
L38	6	"62"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third control$4 averag$4 filter$4) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:35
L39	1	"123"/$ and (setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:13

L40	4	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:21
L41	24	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:20
L42	80	(setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L43	6	"700"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:28
L44	6	"702"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L45	4	"123"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L46	0	"62"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L47	8	"219"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24

L48	0	"236"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L49	4	"307"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L50	0	"318"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L51	4	"381"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:24
L52	4	"700"/$ and switch$4 and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:30
L53	3	"700"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal) same switch$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:32
L54	0	"702"/$ and (setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal) same switch$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:32

L55	29	(setpoint set adj point target desired expected) and (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal) same switch$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:34
L56	3	(setpoint set adj point target desired expected) same (averag$4 filter$3) with (first second third (control$4 and (averag$4 filter$4))) near3 time adj constant and puls$4 near3 (output signal) same switch$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:34